



FOAM EQUIPMENT CATALOGUE

VERTICAL FIXED FOAM BLADDER TANK

ALRML

- Flange Standard of Proportioner: ANSI / BS4504 / GB;
- Body Material: Carbon Steel;
- Bladder Material: Rubber;
- Proportioner :Carbon Steel is standard (SS304 Stainless Steel Optional);
- Ball Valve: Brass is standard (SS304 Stainless Steel Optional);
- Safety Valve: Brass is standard (SS304 Stainless Steel Optional);
- Piping System: Carbon steel is standard (SS304 Stainless Steel Optional);
- Surface Finishing : Painting.



Model Number	Capacity	Description	Working Pressure	Ratio	Flow Rate Range
ALRML-200	200 Liters	Vertical,Fixed	0.8-1.2MPa	3% or 6%	4-24LPS
ALRML-300	300 Liters	Vertical,Fixed	0.8-1.2MPa	3% or 6%	4-24LPS
ALRML-500	500 Liters	Vertical,Fixed	0.8-1.2MPa	3% or 6%	4-24LPS
ALRML-600	600 Liters	Vertical,Fixed	0.8-1.2MPa	3% or 6%	4-24LPS
ALRML-800	800 Liters	Vertical,Fixed	0.8-1.2MPa	3% or 6%	8-32LPS
ALRML-1000	1000 Liters	Vertical,Fixed	0.8-1.2MPa	3% or 6%	8-32LPS
ALRML-1200	1200 Liters	Vertical,Fixed	0.8-1.2MPa	3% or 6%	8-32LPS
ALRML-1500	1500 Liters	Vertical,Fixed	0.8-1.2MPa	3% or 6%	8-32LPS
ALRML-2000	2000 Liters	Vertical,Fixed	0.8-1.2MPa	3% or 6%	8-32LPS
ALRML-2500	2500 Liters	Vertical,Fixed	0.8-1.2MPa	3% or 6%	12-48LPS
ALRML-3000	3000 Liters	Vertical,Fixed	0.8-1.2MPa	3% or 6%	12-48LPS
ALRML-4000	4000 Liters	Vertical,Fixed	0.8-1.2MPa	3% or 6%	12-48LPS
ALRML-5000	5000 Liters	Vertical,Fixed	0.8-1.2MPa	3% or 6%	12-48LPS



HORIZONTAL FIXED FOAM BLADDER TANK

ALRM

- Flange Standard of Proportioner: ANSI / BS4504 / GB;
- Body Material: Carbon Steel;
- Bladder Material: Rubber;
- Proportioner :Carbon Steel is standard (SS304 Stainless Steel Optional);
- Ball Valve: Brass is standard (SS304 Stainless Steel Optional);
- Safety Valve: Brass is standard (SS304 Stainless Steel Optional);
- Piping System: Carbon steel is standard (SS304 Stainless Steel Optional);
- Surface Finishing : Painting.



Model Number	Capacity	Description	Working Pressure	Ratio	Flow Rate Range
ALRM-1000	1000 Liters	Horizontal,Fixed	0.8-1.2MPA	3% or 6%	8-32LPS
ALRM-1500	1500 Liters	Horizontal,Fixed	0.8-1.2MPA	3% or 6%	8-32LPS
ALRM-2000	2000 Liters	Horizontal,Fixed	0.8-1.2MPA	3% or 6%	8-32LPS
ALRM-2500	2500 Liters	Horizontal,Fixed	0.8-1.2MPA	3% or 6%	12-48LPS
ALRM-3000	3000 Liters	Horizontal,Fixed	0.8-1.2MPA	3% or 6%	12-48LPS
ALRM-4000	4000 Liters	Horizontal,Fixed	0.8-1.2MPA	3% or 6%	12-48LPS
ALRM-5000	5000 Liters	Horizontal,Fixed	0.8-1.2MPA	3% or 6%	12-48LPS
ALRM-6000	6000 Liters	Horizontal,Fixed	0.8-1.2MPA	3% or 6%	16-64LPS
ALRM-8000	8000 Liters	Horizontal,Fixed	0.8-1.2MPA	3% or 6%	16-64LPS
ALRM-10000	10000 Liters	Horizontal,Fixed	0.8-1.2MPA	3% or 6%	16-64LPS

